

HEGAWA Fastfit

EXTRA WIDE RANGE

Application

Hegawa Fastfit Extra Wide Range couplings, flange adaptors and reducing couplings are suitable for a working pressure up to 16 bars. Suitable for joining pipes of different rigid materials, such as cast iron, steel, asbestos cement, stainless steel, PVC, PE (insert required) and so on. Suitable for use with sewage.



Material specifications

- Middlering : Nodular cast iron GGG 50 to EN 1514, EN 1563, BS 6920. Epoxy Coated.
- Followers : Nodular cast iron GGG 50 to EN 1514, EN 1563, BS 6920. Epoxy Coated.
- Bolts and nuts : Steel quality 8.8. to DIN 931, DIN 934, DIN 9021, Dacromet coated.

Flange drilling



- Universal drilling according to:
- EN 1092-2 PN10/16
- ANSI up to DN 400
- BSTD up to DN 400 (except for DN 250)

Reducing Couplings

DN mm	Range mm	Article Reference:	L1 mm	L2 mm	Weight kg
200	194-226 / 216-246	HEG-URRCSL-7/8-S-E	255	368	21,0
250	244-276 / 266-297	HEG-URRCSL-9/10-S-E	255	419	23,0
300	315-345 / 345-375	HEG-URRCSL-12/14-S-E	255	499	31,0
350	353-387 / 400-435	HEG-URRCSL-14/16-S-E	295	565	47,0
400	400-435 / 435-470	HEG-URRCSL-16/18-S-E	302	600	47,0
450	475-510 / 530-565	HEG-URRCSL-18/20-S-E	302	695	55,0
500	499-534 / 530-565	HEG-URRCSL-20/22-S-E	302	695	55,0
500	530-565 / 575-610	HEG-URRCSL-22/24-S-E	302	695	65,0
500	575-610 / 610-645	HEG-URRCSL-24/24-S-E	302	775	65,0
600	610-645 / 645-680	HEG-URRCSL-24/26-S-E	302	810	65,0

HEGAWA

FASTFIT EXTRA WIDE RANGE COUPLINGS




Pipe Couplings

DN mm	Range mm	Article Reference:	L1 mm	L2 mm	Weight kg
50	60-80	HEG-URCSL-2-S-E	186	190	6,5
60/65	70-90	HEG-URCSL-2,5-S-E	186	200	7,0
80	88-113	HEG-URCSL-3-S-E	186	223	8,0
100	107-132	HEG-URCSL-4-S-E	186	242	8,5
125	133-159	HEG-URCSL-5-S-E	206	269	10,0
150	159-184	HEG-URCSL-6-S-E	206	296	12,0
150/175	165-195	HEG-URCSL-7-S-E	222	317	14,5
200	194-226	HEG-URCSL-8-S-E	222	348	19,5
200	216-246	HEG-URCSL-8A-S-E	222	368	19,5
250	244-276	HEG-URCSL-10-S-E	242	398	23,0
250	266-297	HEG-URCSL-10A-S-E	242	419	24,5
300	315-345	HEG-URCSL-12-S-E	242	469	26,5
300	345-375	HEG-URCSL-12A-S-E	242	499	32,0
350	375-405	HEG-URCSL-14-S-E	242	529	33,5
400	400-435	HEG-URCSL-16-S-E	292	565	46,0
400	435-470	HEG-URCSL-16A-S-E	292	600	51,0
450	475-510	HEG-URCSL-18-S-E	292	640	51,0
500	499-534	HEG-URCSL-20-S-E	292	665	60,0
500	530-565	HEG-URCSL-20A-S-E	292	695	60,0
600	610-645	HEG-URCSL-24-S-E	292	775	70,0
600	645-680	HEG-URCSL-24A-S-E	292	810	71,0
700	710-745	HEG-URCSL-28-S-E	300	895	85,0
800	810-845	HEG-URCSL-32-S-E	300	995	100,0
900	913-949	HEG-URCSL-36-S-E	300	1115	-
1000	1016-1052	HEG-URCSL-40-S-E	300	1218	-
1100	1108-1133	HEG-URCSL-44-S-E	300	1299	-
1100	1142-1167	HEG-URCSL-44A-S-E	300	1333	-
1200	1209-1234	HEG-URCSL-48-S-E	300	1400	-
1200	1245-1270	HEG-URCSL-48A-S-E	300	1436	-
1400	1412-1437	HEG-URCSL-56-S-E	300	1603	-
1400	1452-1477	HEG-URCSL-56A-S-E	300	1643	-

HEGAWA

FASTFIT EXTRA WIDE RANGE FLANGE ADAPTORS



Flange Adaptors

DN mm	Range mm	Article Reference:	L1 mm	L2 mm	Weight kg
50	60-80	HEG-URCFA-2-S-E	145	190	6,0
60/65	70-90	HEG-URCFA-2,5-S-E	145	200	6,5
80	88-113	HEG-URCFA-3-S-E	150	223	7,5
100	107-132	HEG-URCFA-4-S-E	125	242	7,5
125	133-159	HEG-URCFA-5-S-E	140	269	8,5
150	159-184	HEG-URCFA-6-S-E	175	296	12,0
150/175	165-195	HEG-URCFA-7-S-E	183	317	14,0
200	194-226	HEG-URCFA-8-S-E	183	348	18,0
200	216-246	HEG-URCFA-8A-S-E	183	368	18,0
250	244-276	HEG-URCFA-10-S-E	158	398	21,0
250	266-297	HEG-URCFA-10A-S-E	158	419	21,0
300	315-345	HEG-URCFA-12-S-E	158	469	25,5
300	345-375	HEG-URCFA-12A-S-E	200	499	31,5
350	353-387	HEG-URCFA-14-S-E	158	529	34,5
350	375-405	HEG-URCFA-14A-S-E	200	529	34,5
400	400-435	HEG-URCFA-16-S-E	209	565	38,0
400	435-470	HEG-URCFA-16A-S-E	298	600	53,0
400	470-505	HEG-URCFA-16B-S-E	304	645	60,0
450	475-510	HEG-URCFA-18-S-E	298	640	64,0
500	499-534	HEG-URCFA-20-S-E	208	665	59,0
500	530-565	HEG-URCFA-20A-S-E	208	695	59,0
500	575-610	HEG-URCFA-20B-S-E	208	695	65,0
600	610-645	HEG-URCFA-24-S-E	208	775	69,0
600	645-680	HEG-URCFA-24A-S-E	298	810	93,0
700	710-745	HEG-URCFA-28-S-E	220	910	10,0
700	758-793	HEG-URCFA-28A-S-E	306	964	125,0
800	810-845	HEG-URCFA-32-S-E	225	995	125,0
800	867-904	HEG-URCFA-32A-S-E	306	1025	135,0
900	913-949	HEG-URCFA-36-S-E	200	1115	-
1000	1016-1052	HEG-URCFA-40-S-E	200	1230	-
1100	1108-1133	HEG-URCFA-44-S-E	200	1340	-
1100	1142-1167	HEG-URCFA-44A-S-E	200	1340	-
1200	1209-1234	HEG-URCFA-48-S-E	200	1455	-
1200	1245-1270	HEG-URCFA-48A-S-E	200	1455	-
1400	1412-1437	HEG-URCFA-56-S-E	200	1675	-
1400	1452-1477	HEG-URCFA-56A-S-E	200	1675	-